

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Thomas J. Kolze

Appl. No.: 09/737,276

Filed: December 13, 2000

For: **Flexible Upstream PHY Burst  
Profile Parameters to Improve  
Performance of Short Bursts in  
Impulse Noise**

Confirmation No.: 7915

Art Unit: 2416

Examiner: Duong, Frank

Atty. Docket: 2875.0900002

**Amendment and Reply Under 37 C.F.R. § 1.111**

***Mail Stop Amendment***

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated May 1, 2009, (PTO Prosecution File Wrapper Paper No. 20090429), Applicant submits the following Amendment and Remarks.

***Amendments to the Claims*** are reflected in the listing of claims which begins on page 2 of this paper.

***Remarks and Arguments*** begin on page 9 of this paper.

It is not believed that extensions of time or fees for net addition of claims are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required therefor (including fees for net addition of claims) are hereby authorized to be charged to our Deposit Account No. 19-0036.